# GE-225
# SYSTEM OPERATING MANUAL

GENERAL ELECTRIC

COMPUTER DEPARTMENT

*Progress Is Our Most Important Product*

GENERAL ELECTRIC

COMPUTER DEPARTMENT • PHOENIX, ARIZON

CPB-247

# GE-225
# SYSTEM OPERATING MANUAL

GENERAL ELECTRIC

COMPUTER DEPARTMENT

*Progress Is Our Most Important Product*

GENERAL ELECTRIC

COMPUTER DEPARTMENT • PHOENIX, ARIZONA

CPB-247

Litho in U.S.A.

# GE-225
# SYSTEM OPERATING MANUAL

GENERAL ELECTRIC

COMPUTER DEPARTMENT

Copyright (c) 1963

by

GENERAL ELECTRIC COMPANY

# PREFACE

This manual is written for the prospective operator of the GE-225 Information Processing System. It is assumed that the operator has already had a GE-225 programming course. Much of the basic information about computer instructions and programs is touched upon only briefly, for it is intended that the GE-225 Programming Reference Manual be used as a supplemental text.

Additions and modifications continue to be made to the GE-225 System, therefore, this manual is designed for use in a loose-leaf notebook, and pages are numbered by chapters to permit additions and changes to be easily made.

The majority of the information in this manual pertains to GE-225 equipment in general, and is applicable to most models now in use. As required, more specific information will be added for particular models, and the information will be identified by model number.

TABLE OF CONTENTS


Preface iii

I. Introduction I-1

A Typical Computer Center I-1
The GE-225 Information Processing System I-2
System Configuration I-2
The Central Processor I-3
Input-Output Devices I-4

Card Reader I-4
Card Punch I-4
Magnetic Tape Subsystem I-4
High-Speed Printer I-5
On-Line/Off-Line Printer I-5
Paper Tape Reader and Punch I-5

Auxiliary Components I-7

Auxiliary Arithmetic Unit (AAU) I-7
Mass Random Access Data Storage I-7
Document Handler I-7

Priority Control I-9
Operators' Use of Equipment I-10
GE-225 Instructions I-10

II. Operator's Duties II-1

Introduction II-1

Equipment and Operation Responsibility II-1

Actions Under Emergency Conditions II-1

Fire II-2
Flood II-2
Power Failure II-2
Air Conditioning Failure II-2
Injury to Personnel II-2
Safety Considerations II-2

General Site Operating Procedures II-3

Schedule of Computer Operations II-3
Instructions to the Operator II-3
Error and Operator Corrective Action II-5
Computer Utilization Logs II-8
Library Storage and Reference Files II-12

Assistance to the Programmer II-16

Debugging II-16
Relationship Between Operator and Service Engineer II-16
Operator Behavior and Appearance II-16

III. System Startup and Shutdown III-1

General III-1

Power Sources III-1
Responsibility III-1

Startup Procedures III-1
Shutdown Procedures III-3

Normal Shutdown III-3
Emergency Shutdown III-4

IV. Central Processor IV-1

General Description IV-1

Cable Connections IV-2
Controls and Indicators IV-2

Setup Procedures IV-12
Manual Operating Procedures IV-12

Loading an Instruction Manually IV-12
Loading Data Manually IV-12
Manual Branching IV-13
Entering and Leaving Upper Memory IV-13
Reproducing Individual Cards IV-13
Saving Information in A IV-14
Extracting Data from Memory IV-14
Sequencing through Programs IV-15
Special Modes IV-15
Starting the Program IV-17

Errors and Operator Corrective Action IV-18

Operator Checklist IV-18
Program Recovery or Restart IV-18

V. Console Typewriter V-1

General Description V-1
Setup Procedure V-2
Special Procedures V-3
Error and Operator Corrective Action V-3

Operator Errors V-3
Program Errors V-3

VI. 400 Card Per Minute Reader VI-1

General Description VI-1

Card Reader Instructions VI-6
Card Reader Controls and Indicators VI-6

Setup Procedures VI-8
Special Procedures VI-11

VI. 400 Card Per Minute Reader (Con't.)

Clearing Card Jams VI-11
Reconditioning Cards VI-11
Reproducing Cards VI-11
Caring for Cards VI-12

Errors and Operator Corrective Action VI-13

Operator Checklist VI-13

VII. GE High Speed Card Reader VII-1

General Description VII-1

Card Reader Controller VII-2
Card Reader Mechanism VII-2

The Sentinel Word VII-2

Decimal Mode VII-3
10-Row Binary Mode VII-3
12-Row Binary Mode VII-4

Error Conditions VII-4

Feed Error VII-4
Read Error VII-4
Hopper Empty VII-5
Stacker Full VII-5
Phantom Feed VII-5
Invalid Character VII-6
Card Jam VII-6

Compatibility of the Two Types of Readers VII-6
Card Reader Instructions VII-6
Setup Procedure VII-6
Special Procedures VII-12

Clearing Card Jams VII-12
Reproducing Cards VII-12
Reconditioning Cards and Caring for Cards VII-12

Errors and Operator Corrective Action VII-12

Operator Checklist VII-12

VIII. Card Punch VIII-1

General Description VIII-1

Major Parts of the Card Punch VIII-1
Card Movement through the Punch VIII-2

Setup Procedures VIII-3
Special Procedures VIII-3

Clearing Card Jams VIII-3
Plugboard Layout and Wiring VIII-6
Gang Punching Off-Line Operation VIII-8
Emptying the Chip Box VIII-8

VIII. Card Punch (Con't.)

Errors and Operator Corrective Action VIII-9

Operator Errors VIII-9
Program Errors VIII-10

IX. Magnetic Tape Subsystem IX-1

General Description IX-1

Magnetic Tape Controller IX-1
Magnetic Tape Handler IX-4
File Protection IX-6
Magnetic Tape IX-6

Setup Procedure IX-8

Loading Tape IX-8
Unloading Tape IX-10

Special Procedures IX-15

Replacing Leader and Trailer Foils IX-15
Cleaning and Care of Tape Handlers IX-15
Inspection and Replacement of Damaged Tape IX-15
Care of Magnetic Tape IX-16

Errors and Operator Corrective Action IX-17

Operator Errors IX-17
Program Errors IX-17

X. High-Speed Printer Subsystem X-1

General Description X-1

Printer Controller X-1
Printer X-5

Setup Procedure X-7
Special Procedures X-12

Preparation of a Vertical Format Loop X-12
Changing the Printer Ribbon X-13
Memory Dump (Manual) X-15

Errors and Operator Corrective Action X-15

Operator Checklist X-15

XI. Paper Tape Reader and Punch XI-1

General Description XI-1

Paper Tape Reader XI-1
Paper Tape Punch XI-3

Instructions Pertaining to Paper Tape XI-4
Controls and Indicators XI-4

XI. Paper Tape Reader and Punch (Con't.)

Paper Tape Control and Indicator Panel XI-4
Paper Tape Maintenance Panel XI-4
Central Processor Control Console XI-5
Central Processor Maintenance Panel XI-5

Characteristics of Paper Tape XI-6

Visual Reading of Paper Tape XI-6
Paper Tape Format XI-6
Paper Tape Qualifications XI-7
Parity Generation and Error Detection XI-7
Delete Code XI-8
Special Character Control XI-8
Tape Leader and Trailer Inhibit XI-8
Straight Transfer XI-9
Tape Levels XI-10

Setup Procedure - Punch XI-12
Setup Procedure - Reader XI-14

Reader with Spoolers XI-14
Reader without Spoolers XI-15

Special Procedures XI-20

Operator Maintenance of Equipment XI-20
Care of Paper Tape XI-20
Splicing Paper Tape XI-20
Using Spoolers While Punching XI-20

Errors and Operator Corrective Action XI-21

XII. Auxiliary Arithmetic Unit XII-1

General Description XII-1

Floating Point Modes XII-2
Fixed Point Mode XII-3

AAU Operation XII-3
Controls and Indicators XII-4
AAU Instructions XII-5
Setup Procedure XII-5
Errors and Operator Corrective Action XII-8

Operator Errors XII-8
Program Errors XII-8

XIII. Mass Random Access Data Storage Subsystem XIII-1

General Description XIII-1

Disc Unit XIII-2
Controller XIII-3
File Electronics Unit XIII-5

Instructions and MRADS Operation XIII-6

XIII. Mass Random Access Data Storage Subsystem (Con't.)

The SEEK Function XIII-6
The READ Function XIII-7
The WRITE Function XIII-7

Setup Procedure XIII-8
Errors and Operator Corrective Action XIII-11

XIV. GE 12-Pocket Document Handler (1200 Documents/Minute) XIV-1

General Description XIV-1

The Document Handler XIV-2
The Document Handler Adapter XIV-3

Documents and Document Language XIV-4

Characters and Symbols XIV-4
Document Specifications XIV-5

Special Considerations in Off-Line Sorting XIV-5

Normal Sorting XIV-5
Zero Suppression (Special Sort) XIV-5
Multiple Digit Selection XIV-6
Check of Cue Symbols XIV-6
Long Character and Multiple Read XIV-6
Missing Digit Detection XIV-6
Transposition Check Digit (TCD) XIV-7

Special Considerations in On-Line Reading XIV-7

Long Character and Multiple Read XIV-7
Missing Digit Detection XIV-7
Transposition Check Digit (TCD) XIV-7

Program Instructions XIV-7
Operator Controls and Indicators XIV-7

Control and Indicator Panel XIV-7
Maintenance Panel XIV-9
Adapter Control and Indicator Panel XIV-10

Setup Procedure, Off-Line Mode XIV-10

Operator Precautions and Feed Interruption XIV-12
Sort Completion and Document Pickup XIV-13
Jam Detection and Operator Action XIV-13
Shutdown Procedure XIV-13

Setup Procedure, On-Line Mode XIV-13

Operator Precautions During Machine Operation XIV-14
Shutdown Procedure XIV-14

Special Procedures XIV-18

Plugboard Wiring Techniques XIV-18

Errors and Operator Corrective Action XIV-25

XIV. GE 12-Pocket Document Handler (1200 Documents/Minute) (Con't.)

Program Errors XIV-26

XV. 12-Pocket Document Handler (750 Documents/Minute) XV-1

General Description XV-1

The Document Handler XV-2
Document Handler Adapter XV-3

Documents and Document Language XV-4

Characters and Symbols XV-4
Document Specifications XV-4

Special Considerations in Off-Line Sorting XV-5

Normal Sorting XV-5
Zero Suppression (Special Sort) XV-5
Multiple Digit Selection XV-5
Check of Cue Symbols XV-5
Missing Digit Detection XV-6
Transposition Check Digit (TCD) XV-6
Long Character and Multiple Read XV-6

Special Consideration in On-Line Reading XV-6

Long Character and Multiple Read XV-6
Missing Digit Detection XV-6
Transposition Check Digit (TCD) XV-6

Program Instructions XV-6
Operator Controls and Indicators XV-7

Control and Indicator Panel XV-7
Z Rack Controls XV-8
Adapter Control and Indicator Panel XV-8

Setup Procedure, Off-Line Mode XV-9

Operator Precautions During Machine Operation XV-10
Sort Completion and Document Pickup XV-10
Shutdown Procedures XV-10

Setup Procedure, On-Line Mode XV-11

Operator Precautions During Machine Operation XV-11
Shutdown Procedures XV-11

Special Procedures XV-14

Plugboard Wiring XV-14

Errors and Operator Corrective Action XV-14

Operator Errors XV-14
Program Errors XV-14

XVI. Software XVI-1

General Description XVI-1
Utility Routines XVI-1

Memory Resetters XVI-1
Memory Loaders XVI-3
Memory Dumps XVI-4
Tape Dumps XVI-5
Checksum Corrector XVI-6
Card Reproducer XVI-7
GE-225 BRIDGE Service System XVI-8
GE-225 Forward Sort/Merge Generator XVI-8
The Offline Operations Simulator (OOPS) XVI-8

Language Programs XVI-8

Assemblers XVI-8
Compilers XVI-8
Systems Applications XVI-9
Industry-Wide Software Applications XVI-9

XVII. Off-Line/On-Line Printer Subsystem XVII-1

General Description XVII-1

Printer XVII-1
Printer Control Panels XVII-1
Buffered Tape Reader XVII-4
Tape Reader Controls and Indicators XVII-5

Off-Line Operation XVII-6
On-Line Operation XVII-6
Setup Procedure - Off Line XVII-7
Special Procedures XVII-12

Obtaining an Octal Dump XVII-12
Backspace Print Line Recovery Procedure XVII-13

Errors and Operator Corrective Action XVII-14

Operator Errors XVII-14
Program Errors XVII-14

XVIII. Peripheral Switch Control Subsystem XVIII-1

General Description XVIII-1

Peripheral Switch Control Console XVIII-2
Peripheral Switch Units XVIII-2
Switch Control Console Control and Indicator Panel XVIII-3

Setup Procedures XVIII-5

Starting a Run XVIII-5
Switching During a Run XVIII-6

Special Procedures XVIII-8

Address Select Error Recovery XVIII-8
Special Recovery Procedure XVIII-8
Changing Plug Numbers XVIII-8

Errors and Operator Corrective Action XVIII-9

Operator Errors XVIII-9
Programmer Errors XVIII-9

Appendixes

Number Systems A-1
Table of Powers of 2 B-1
Octal-Decimal Integer Conversion Tables C-1
Octal-Decimal Fraction Conversion Tables C-5
Representation of Characters D-1
Alphabetic List of GE-225 Instructions E-1
Octal List of GE-225 Instructions E-3

## LIST OF ILLUSTRATIONS


| Figure | | Page |
|---|---|---|
| I-1 | The GE-225 Information Processing System | I-1 |
| I-2 | The GE-225 System Using Punched Card Input and Output | I-2 |
| I-3 | The GE-225 System Using Paper Tape Input and Output | I-3 |
| I-4 | The Central Processor | I-3 |
| I-5 | The 400 Card Per Minute Reader | I-4 |
| I-6 | The High Speed Card Reader | I-4 |
| I-7 | The Card Punch | I-5 |
| I-8 | The Magnetic Tape Subsystem | I-6 |
| I-9 | The High-Speed Printer Subsystem | I-6 |
| I-10 | The Paper Tape Reader and Punch | I-6 |
| I-11 | The Auxiliary Arithmetic Unit | I-7 |
| I-12 | The Mass Random Access Data Storage Unit | I-7 |
| I-13 | The GE 12-Pocket Document Handler (1200 Documents/Minute) | I-8 |
| I-14 | The 12-Pocket Document Handler (750 Documents/Minute) | I-9 |
| I-15 | A Plug-In Connector Installed | I-9 |
| I-16 | Diagram of the GE-225 System | I-10 |
| II-1 | Sample Schedule of Operations | II-4 |
| II-2 | Operator Instruction Sheet | II-6 |
| II-3 | Two Types of Operator Instruction Cards | II-7 |
| II-4 | Sample Reporting Form for Equipment Repair | II-9 |
| II-5 | Sample Daily Computer Log | II-10 |
| II-6 | Sample Operator and Maintenance Log | II-11 |
| II-7 | Sample Time Card | II-12 |
| II-8 | Sample Tape Control Form | II-13 |
| II-9 | Sample Log of Tape Use | II-14 |
| II-10 | Sample Master Program Change Request | II-15 |
| II-11 | Sample Hang-up Sheet | II-17 |
| II-12 | Sample Debug Instruction Sheet | II-18 |
| IV-1 | The Central Processor | IV-1 |
| IV-2 | The Maintenance Panel of the Central Processor | IV-2 |
| IV-3 | The Control Console | IV-4 |
| IV-4 | Control Switches on the Control Console | IV-6 |
| V-1 | Console Typewriter | V-1 |
| VI-1 | 400 Card Per Minute Reader | VI-1 |
| VI-2 | Diagram of Card Reader Mechanism | VI-2 |
| VI-3 | Card Reader Feed Throat and Feed Knife | VI-3 |
| VI-4 | Card Reader Feed Mechanism | VI-4 |
| VI-5 | Card Formats | VI-5 |
| VI-6 | Control and Indicators of the Control Console | VI-7 |
| VI-7 | Loading Cards | VI-8 |
| VI-8 | Removing Cards | VI-9 |
| VII-1 | GE High Speed Card Reader | VII-1 |
| VII-2 | Card Transport Area | VII-2 |
| VII-3 | Reader Control and Indicator Panel | VII-7 |
| VII-4 | Top View of the Card Reader | VII-7 |
| VIII-1 | Card Punch and its Control and Indicator Panel | VIII-1 |
| VIII-2 | Card Punch Plugboard Layout | VIII-6 |
| VIII-3 | Example of Plugboard Wiring for On-Line Operation | VIII-7 |
| VIII-4 | Example of Plugboard Wiring for Off-Line Operation | VIII-9 |

LIST OF ILLUSTRATIONS (Con't.)


| Figure | | Page |
|---|---|---|
| IX-1 | Magnetic Tape Subsystem | IX-2 |
| IX-2 | Tape Handler Mechanism (Vacuum Feed Type) | IX-4 |
| IX-3 | Tape Handler Mounting and Hub Assembly | IX-5 |
| IX-4 | Tape Handler Mechanism (Nonvacuum Feed Type) | IX-5 |
| IX-5 | Installation or Removal of Write-Permit Ring | IX-6 |
| IX-6 | Threading Tape Through Magnetic Tape Handler (Nonvacuum Type) | IX-9 |
| IX-7 | Threading Tape Through Magnetic Tape Handler (Vacuum Feed Model) | IX-10 |
| X-1 | High-Speed Printer Subsystem | X-2 |
| X-2 | Printer Controller Control and Indicator Panel | X-4 |
| X-3 | Routing Paper Through the Printer | X-5 |
| X-4 | Vertical Format Control Unit | X-6 |
| X-5 | Paper Drive Tractors | X-7 |
| X-6 | Hand Punch for a Vertical Format Loop | X-12 |
| X-7 | Sample Tape for Vertical Format Loop | X-13 |
| X-8 | Vertical Format Loop | X-13 |
| X-9 | Installation of Printer Ribbon | X-14 |
| X-10 | Printer Mechanism, Side View | X-15 |
| XI-1 | Information Flow From the Computer to Paper Tape (6-Channel Tape) | XI-1 |
| XI-2 | Paper Tape Reader and Punch | XI-2 |
| XI-3 | Sample of Paper Tape | XI-3 |
| XI-4 | Maintenance Panel of the Paper Tape Reader and Punch | XI-5 |
| XI-5 | Maintenance Panel of the Central Processor | XI-6 |
| XI-6 | Paper Tape BCD Characters Read in Octal | XI-7 |
| XI-7 | Sample of Tape with Parity Errors | XI-8 |
| XI-8 | Straight Transfer of 8 Bits of Data | XI-9 |
| XI-9 | Five-Level Tape Information Transfer | XI-10 |
| XI-10 | Six-Level Tape Information Transfer | XI-10 |
| XI-11 | Octal Reading of Seven-Level Tape (normal mode) | XI-10 |
| XI-12 | Seven-Level Tape Information Transfer (normal mode) | XI-11 |
| XI-13 | Special Character Transfer, Eight-Level Tape | XI-11 |
| XI-14 | Straight Transfer Mode, Eight-Level Tape | XI-11 |
| XI-15 | Front View of Punch Mechanism | XI-12 |
| XI-16 | Side View of Punch Mechanism | XI-13 |
| XI-17 | Paper Tape Control and Indicator Panel | XI-14 |
| XI-18 | Threading Tape on Spoolers | XI-15 |
| XI-19 | The Paper Tape Read Area | XI-16 |
| XI-20 | Using Spoolers in Punching | XI-20 |
| XII-1 | Auxiliary Arithmetic Unit | XII-1 |
| XII-2 | Format of Floating Point Number in Memory | XII-3 |
| XII-3 | Format of Floating Point Word in the AAU | XII-3 |
| XII-4 | Format of Fixed Point Word in Memory | XII-3 |
| XII-5 | Format of Fixed Point Word in the AAU | XII-3 |
| XII-6 | AAU Control and Indicator Panel | XII-4 |
| XII-7 | Power Switches and Maintenance Panel | XII-6 |
| XIII-1 | The Mass Random Access Data Storage Subsystem | XIII-1 |
| XIII-2 | Disc File Unit | XIII-2 |
| XIII-3 | Disc Format | XIII-2 |
| XIII-4 | Head Positioning Assembly | XIII-3 |
| XIII-5 | Read/Write Heads | XIII-3 |
| XIII-6 | Controller Panel | XIII-4 |
| XIII-7 | Control and Indicator Panel of the File Electronics Unit | XIII-5 |

## LIST OF ILLUSTRATIONS (Con't.)


| Figure | | Page |
|---|---|---|
| XIV-1 | GE 12-Pocket Document Handler (1200 Documents/Minute) | XIV-1 |
| XIV-2 | Exposed Front View of GE 12-Pocket Document Handler | XIV-2 |
| XIV-3 | Document Feed Path | XIV-3 |
| XIV-4 | Document Handler Adapter | XIV-4 |
| XIV-5 | MICR Characters | XIV-4 |
| XIV-6 | Sample Bank Check Using A. B. A. Format | XIV-5 |
| XIV-7 | The Clear Bank of a Document | XIV-6 |
| XIV-8 | Document Handler Control and Indicator Panel | XIV-8 |
| XIV-9 | Document Handler Maintenance Panel | XIV-9 |
| XIV-10 | Document Handler Adapter Control and Indicator Panel | XIV-10 |
| XIV-11 | Jogger Used to Align Documents | XIV-11 |
| XIV-12 | Document Feed Area | XIV-11 |
| XIV-13 | Document Handler Control and Indicator Panel | XIV-12 |
| XIV-14 | Plugboard in Rack | XIV-18 |
| XIV-15 | Cue Counter and Field Selection | XIV-19 |
| XIV-16 | Field Identification and Cue Count | XIV-20 |
| XIV-17 | Connecting Cue Counter to Field Selection Hubs | XIV-21 |
| XIV-18 | Cue Check Connections | XIV-22 |
| XIV-19 | DYL Hub Connections | XIV-22 |
| XIV-20 | Inhibit Missing Digit Detection | XIV-23 |
| XIV-21 | Use of Auxiliary OR (COMM) Hubs | XIV-23 |
| XIV-22 | Another Example of Auxiliary OR | XIV-24 |
| XIV-23 | Long Character and Multiple Read Detection | XIV-24 |
| XIV-24 | Multiple Digit Select Plugboard Wiring | XIV-26 |
| XV-1 | 12-Pocket Document Handler (750 Documents Minute) | XV-1 |
| XV-2 | Z Rack | XV-2 |
| XV-3 | Document Feed Path | XV-3 |
| XV-4 | Document Handler Adapter | XV-3 |
| XV-5 | MICR Characters | XV-4 |
| XV-6 | Sample Bank Check Using A. B. A. Format | XV-4 |
| XV-7 | The Clear Bank | XV-5 |
| XV-8 | Control and Indicator Panel | XV-7 |
| XV-9 | Controls and Plugboard Inside the Z Rack | XV-9 |
| XVI-1 | Memory Resetter to "Zero" Memory | XVI-2 |
| XVI-2 | Binary Loader for Nonrelocatable GAP Cards | XVI-3 |
| XVI-3 | Example of Switch Setting | XVI-5 |
| XVI-4 | 10-Row Binary GAP Card with Checksum | XVI-7 |
| XVII-1 | Off-Line/On-Line Printer Subsystem | XVII-2 |
| XVII-2 | Printer Control and Indicator Panel - Left Side | XVII-3 |
| XVII-3 | Printer Control and Indicator Panel - Right Side | XVII-3 |
| XVII-4 | Controls and Indicators on the Tape Unit | XVII-5 |
| XVII-5 | Command Words for Off-Line Printing | XVII-7 |
| XVII-6 | Backspace and Reprint Procedure | XVII-13 |
| XVIII-1 | Peripheral Switch Control Console | XVIII - 1 |
| XVIII-2 | Peripheral Switch Control and Indicator Panel | XVIII - 2 |
| XVIII-3 | Example of Cable Connections | XVIII - 4 |
| XVIII-4 | Control and Indicator Panel | XVIII - 5 |
| XVIII-5 | Example of a Switching Operation | XVIII - 8 |

## LIST OF TABLES


| | | |
|---|---|---|
| I. | Functions of Controls and Indicators on Central Processor | IV-9 |
| II. | Control Console Error Conditions | IV-19 |
| III. | Typewriter Error Conditions | V-4 |
| IV. | Summary of Controls and Indicators for the 400 Card Per Minute Reader | VI-10 |
| V. | 400 Card Per Minute Reader Error Conditions | VI-14 |
| VI. | Functions and Indicators for the GE High Speed Card Reader | VII-10 |
| VII. | GE High Speed Card Reader Error Conditions | VII-13 |
| VIII. | Summary of Controls and Indicators for the Card Punch | VIII-4 |
| IX. | Card Punch Error Conditions | VIII-11 |
| X. | Summary of Controls and Indicators for the Magnetic Tape Subsystem | IX-12 |
| XI. | Magnetic Tape Subsystem Error Conditions | IX-18 |
| XII. | Summary of Controls and Indicators for the High-Speed Printer Subsystem | X-10 |
| XIII. | Printer Subsystem Error Conditions | X-16 |
| XIV. | Summary of Controls and Indicators for the Paper Tape Reader and Punch | XI-17 |
| XV. | Paper Tape Reader and Punch Error Conditions | XI-21 |
| XVI. | Functions of Controls and Indicators for the AAU | XII-6 |
| XVII. | Auxiliary Arithmetic Unit Error Conditions | XII-9 |
| XVIII. | Functions of Controls and Indicators for the MRADS Units | XIII-9 |
| XIX. | MRADS Error Conditions | XIII-11 |
| XX. | Summary of Controls and Indicators | XIV-15 |
| XXI. | Document Handler Error Conditions | XIV-27 |
| XXII. | Functions of Controls and Indicators, 12-Pocket Document Handler (750 Documents/Minute) | XV-12 |
| XXIII. | Document Handler Error Conditions | XV-14 |
| XXIV. | Summary of Controls and Indicators for the Off-Line/On-Line Printer | XVII-9 |
| XXV. | On-Line/Off-Line Printer Error Conditions | XVII-15 |
| XXVI. | Summary of Controls and Indicators for the Peripheral Switch Control Subsystem | XVIII- 7 |
| XXVII. | Switch Control Subsystem Error Conditions | XVIII- 9 |